




KRA5127

Specific rear rack in aluminium for MONOKEY® top-case

maximum load allowed 6kg / it does not allow the assembly of the stop light kit or the remote control device on the top-case / it can only be mounted on the original rack in aluminium



KR5129

Specific rear rack for MONOLOCK® or MONOKEY® top-case

to be combined with the MONOKEY® KM5, KM8A, KM8B, KM9A or KM9B plate, or with the MONOLOCK® KM5M or KM6M plate / if combined with KM8A, KM8B, KM9A, KM9B it does not allow the assembly of the stop light kit or the remote control device on the case / maximum load allowed 6 kg / it can only be mounted to the original plastic rack



KLR5127

Specific rapid release side-case holder for MONOKEY® or RETRO FIT cases

KL5127CAM

Specific pannier holder for MONOKEY® CAM-SIDE

18 mm diameter



BF11K

Specific flange for fitting the tank bags with TANKLOCK system



KD5127S

Specific screen, smoked 44 x 47 cm (H x W)

to be combined with the specific D5129KITK fitting kit / 17 cm higher than the original





KD5127ST

Specific screen, transparent 54,5 x 49 cm (H x W)

to be combined with the specific D5129KITK fitting kit / 27 cm higher than the original



KAF5127B


Specific sliding wind-screen transparent, Airflow. Maximum height 59 cm (12 cm of extension), width 49 cm

to be combined with the specific D5129KITK fitting kit / to be mounted instead of the original screen



D5129KITK

Specific fitting kit for KD5127S, KD5127ST, KAF5127B



KN5129

Specific engine guard, black

25 mm diameter steel tube / we recommend fitting by a qualified mechanic



KN5129OX

Specific engine guard, stainless steel

25 mm diameter steel tube / we recommend fitting by a qualified mechanic



RP5145K

Oil carter protector in brushed and anodised aluminium

to be combined with RP5129KITK



LS5127K

Specific fitting kit to mount spotlights where specific engine guard is not present