





KRA8208

Specific rear rack in anodised aluminium for $\ensuremath{\mathsf{MONOKEY}}\xspace^{\ensuremath{\mathsf{R}}}$ topcase, black

maximum load allowed 6kg / it does not allow the assembly of the stop light kit or the remote control device on the case



KLO8208MK Specific pannie configuration

Specific pannier holder KL ONE-FIT for MONOKEY® side-cases configuration

18 mm diameter / to be combined with 07RKITK for the transformation into Rapid Release pannier holder



KLO8208CAM

Specific pannier holder KL ONE-FIT for MONOKEY® CAM-SIDE configuration

18 mm diameter / to be combined with 07RKITK for the transformation into Rapid Release pannier holder

07RKITK





KTL6415KIT

Specific kit to install the KS250 Tool Box on KLO8208CAM and KLO8208MK

to be combined with KS250 and KLO8208CAM and KLO8208MK / it can be mounted on either the right-hand side or left-hand side of the motorcycle



KD8208ST S

Specific screen, transparent, 54 x 43 cm (H x W)

not compatible with the version PFF / to be mounted instead of the original screen / 7 cm higher than the original





BF02K

Specific flange for fitting the tank bags with TANKLOCK system

ES8208K

Specific support in aluminium and stainless steel to widen the surface support area of the original side stand

KN8208

Specific engine guard, black

25 mm diameter steel tube / we recommend fitting by a qualified mechanic

